

| L'Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---------------------------------|------------------|
| 1 | 22 | ("5206491" "5229588" "5459308" "5475207" "5668803" "5705802" "5717195" "4871904" "3978317" "20020162887" "20020043564" "5892214" "6045046" "5978772" "6285383" "5909300" "5975417" "6491224" "5684289" "5744815" "6330974" "5886336" "6462880" "5532467").pn. | USPAT | 2004/03/19 14:53 |
| 2 | 24 | ("5206491" "5229588" "5459308" "5475207" "5668803" "5705802" "5717195" "4871904" "3978317" "20020162887" "20020043564" "5892214" "6045046" "5978772" "6285383" "5909300" "5975417" "6491224" "5684289" "5744815" "6330974" "5886336" "6462880" "5532467").pn. | USPAT; US-PGPUB; EPO; JPO | 2004/03/19 16:41 |
| 3 | 1 | 5073702.pn. | USPAT | 2004/03/19 15:49 |
| 4 | 1 | ("5206491").pn. | USPAT; US-PGPUB; EPO; JPO | 2004/03/19 16:58 |
| 5 | 511 | 235/\$.ccls. and scan\$4 same motor with speed | USPAT; US-PGPUB; EPO; JPO | 2004/03/19 16:58 |
| 6 | 102 | 235/\$.ccls. and scan\$4 same motor with speed with (different or var\$5) | USPAT; US-PGPUB; EPO; JPO | 2004/03/19 17:01 |
| 7 | 7 | ((("5206491" "5229588" "5459308" "5475207" "5668803" "5705802" "5717195" "4871904" "3978317" "20020162887" "20020043564" "5892214" "6045046" "5978772" "6285383" "5909300" "5975417" "6491224" "5684289" "5744815" "6330974" "5886336" "6462880" "5532467").pn.) and motor with speed | USPAT; US-PGPUB; EPO; JPO | 2004/03/19 17:01 |
| - | 1 | 6631845.pn. | USPAT | 2004/03/18 10:54 |
| - | 26 | ("3978317" "4871904" "5206491" "5229588" "5459308" "5475207" "5532467" "5668803" "5684289" "5705802" "5717195" "5744815" "5869827" "5886336" "5892214" "5909300" "5975417" "5978772" "6045046" "6112857" "6285383" "6325290" "6330973" "6330974" "6462880" "6491224" 2002/0043564 2002/0162887).pn. | USPAT | 2004/03/18 10:56 |

| | | | | |
|---|----|--|---------------------------------|------------------|
| 7 | 26 | ("3978317" "4871904" "5206491" "5229588" "5459308" "5475207" "5532467" "5668803" "5684289" "5705802" "5717195" "5744815" "5869827" "5886336" "5892214" "5909300" "5975417" "5978772" "6045046" "6112857" "6285383" "6325290" "6330973" "6330974" "6462880" "6491224" 2002/0043564 2002/0162887).pn. | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 11:28 |
| - | 0 | 235/\$.ccls. and (air) with (temperature or cool\$4) same cool same (mirror or polygon) same (scan\$4 or read\$4) same (barcode or "bar code" or indicia or label or "machine readable") | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 10:58 |
| - | 1 | 235/\$.ccls. and (air) with (temperature or cool\$4) same (mirror or polygon) same (scan\$4 or read\$4) same (barcode or "bar code" or indicia or label or "machine readable") | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 10:59 |
| - | 28 | ("3978317" "4871904" "5206491" "5229588" "5459308" "5475207" "5532467" "5668803" "5684289" "5705802" "5717195" "5744815" "5869827" "5886336" "5892214" "5909300" "5975417" "5978772" "6045046" "6112857" "6285383" "6325290" "6330973" "6330974" "6462880" "6491224" "20020043564" "20020162887").pn. | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 11:29 |

| | | | | |
|---|------|--|---------------------------------|------------------|
| - | 22 | (("3978317" "4871904" "5206491" "5229588" "5459308" "5475207" "5532467" "5668803" "5684289" "5705802" "5717195" "5744815" "5869827" "5886336" "5892214" "5909300" "5975417" "5978772" "6045046" "6112857" "6285383" "6325290" "6330973" "6330974" "6462880" "6491224" "20020043564" "20020162887").pn.) and motor | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 11:36 |
| - | 1007 | (first or second or two) with (polygon or rotat\$4 or spin\$4) same mirror same (first or second or two) with (motor) same (first or second or two) with (laser or light or source) | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 11:40 |
| - | 37 | ((first or second or two) with (polygon or rotat\$4 or spin\$4) same mirror same (first or second or two) with (motor) same (first or second or two) with (laser or light or source)) same (barcode or "bar code" or indicia or "machine readable") same (read\$4 or scan\$4) | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 11:50 |
| - | 67 | ((second or two or dual) with (polygon or rotat\$4 or spin\$4 or mirror) same (second or two or dual) with (motor) same (second or two or dual) with (laser or light or source)) and (barcode or "bar code" or indicia or "machine readable") same (read\$4 or scan\$4) and window same (horizontal\$4 or parallel\$4) same (vertical\$4 or perpendicular\$4) | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 12:07 |
| - | 64 | ((second or two or dual) with (polygon or rotat\$4 or spin\$4 or mirror) same (second or two or dual) with (motor) same (second or two or dual) with (laser or light or source)) and (barcode or "bar code" or indicia or "machine readable") same (read\$4 or scan\$4) and window same (horizontal\$4 or parallel\$4) same (vertical\$4 or perpendicular\$4)) not (((first or second or two) with (polygon or rotat\$4 or spin\$4) same mirror same (first or second or two) with (motor) same (first or second or two) with (laser or light or source)) same (barcode or "bar code" or indicia or "machine readable") same (read\$4 or scan\$4)) | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 11:53 |
| - | 25 | ((second or two or dual) with (polygon or rotat\$4 or spin\$4 or mirror) same (second or two or dual) with (motor) same (second or two or dual) with (laser or light or source)) and (barcode or "bar code" or indicia or "machine readable") same (read\$4 or scan\$4) and window with (horizontal\$4 or parallel\$4) and window with (vertical\$4 or perpendicular\$4) | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 12:08 |

| | | | | |
|---|-----|---|---------------------------------|------------------|
| - | 20 | ((second or two or dual) with (polygon or rotat\$4 or spin\$4 or mirror) same (second or two or dual) with (motor) same (second or two or dual) with (laser or light or source)) and (barcode or "bar code" or indicia or "machine readable") same (read\$4 or scan\$4) same window with (horizontal\$4 or parallel\$4) and window with (vertical\$4 or perpendicular\$4)) | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 12:08 |
| - | 20 | ((second or two or dual) with (polygon or rotat\$4 or spin\$4 or mirror) same (second or two or dual) with (motor) same (second or two or dual) with (laser or light or source)) and (barcode or "bar code" or indicia or "machine readable") and (read\$4 or scan\$4) same window with (horizontal\$4 or parallel\$4) and window with (vertical\$4 or perpendicular\$4)) | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 12:08 |
| - | 25 | ((second or two or dual) with (polygon or rotat\$4 or spin\$4 or mirror) same (second or two or dual) with (motor) same (second or two or dual) with (laser or light or source)) and (barcode or "bar code" or indicia or "machine readable") same (read\$4 or scan\$4) and window with (horizontal\$4 or parallel\$4) and window with (vertical\$4 or perpendicular\$4)) (((second or two or dual) with (polygon or rotat\$4 or spin\$4 or mirror) same (second or two or dual) with (motor) same (second or two or dual) with (laser or light or source)) and (barcode or "bar code" or indicia or "machine readable") same (read\$4 or scan\$4) same window with (horizontal\$4 or parallel\$4) and window with (vertical\$4 or perpendicular\$4)) (((second or two or dual) with (polygon or rotat\$4 or spin\$4 or mirror) same (second or two or dual) with (motor) same (second or two or dual) with (laser or light or source)) and (barcode or "bar code" or indicia or "machine readable") same (read\$4 or scan\$4) same window with (horizontal\$4 or parallel\$4) and window with (vertical\$4 or perpendicular\$4)) | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 12:28 |
| - | 113 | (barcode or "bar code" or indicia or "machine readable") same (scan\$4 or read\$4) same (window or glass or entr\$4) with ((horizontal\$4 or parallel\$4) and (vertical\$4 or perpendicular\$4)) and (separate or independent or dual or second or two or bi\$4) with (motor or spin\$4 or rotat\$4 or polygon) | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 14:57 |
| - | 113 | (barcode or "bar code" or indicia or "machine readable") same (scan\$4 or read\$4) same (((window or glass or entr\$4) with (horizontal\$4 or parallel\$4)) and ((window or glass or entr\$4) with (vertical\$4 or perpendicular\$4))) and (separate or independent or dual or second or two or bi\$4) with (motor or spin\$4 or rotat\$4 or polygon) | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 14:59 |
| - | 83 | (barcode or "bar code" or indicia or "machine readable") same (scan\$4 or read\$4) same (((window or glass or entr\$4) with (horizontal\$4 or parallel\$4)) and ((window or glass or entr\$4) with (vertical\$4 or perpendicular\$4))) and (separate or independent or dual or second or two or bi\$4) near5 (motor or spin\$4 or rotat\$4 or polygon) | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 15:35 |

| | | | | |
|---|-----|--|---------------------------------|------------------|
| - | 169 | (barcode or "bar code" or indicia or "machine readable") same (scan\$4 or read\$4) same (((window or glass or entr\$4) with (horizontal\$4 or parallel\$4)) and ((window or glass or entr\$4) with (vertical\$4 or perpendicular\$4))) | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 15:36 |
| - | 63 | ((barcode or "bar code" or indicia or "machine readable") same (scan\$4 or read\$4) same (((window or glass or entr\$4) with (horizontal\$4 or parallel\$4)) and ((window or glass or entr\$4) with (vertical\$4 or perpendicular\$4)))) and (dual or separate or bioptic or bi-optic\$3 or independent) with (motor or polygon or (light or source) or mirror or spin\$4 or rotat\$4) | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 15:47 |
| - | 1 | (barcode or "barcode" or indicia or "machine readable") same (window) same (horizontal or parallel) same (vertical or perpendicular) same mirror same motor same (polygon\$2 or spin\$4 or rotat\$4) | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 15:51 |
| - | 49 | (barcode or "barcode" or indicia or "machine readable") same (read\$4 or scan\$4) and (window) same (horizontal or parallel) same (vertical or perpendicular) and motor same (mirror or polygon\$2 or spin\$4 or rotat\$4) same (light or laser or source) same (independent\$4 or separat\$4) | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 15:53 |
| - | 82 | (barcode or "barcode" or indicia or "machine readable") same (read\$4 or scan\$4) and (window) same (horizontal or parallel) same (vertical or perpendicular) and motor same (mirror or polygon\$2 or spin\$4 or rotat\$4) same (light or laser or source) same (independent\$4 or separat\$4 or two or second) | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 15:53 |
| - | 82 | ((barcode or "barcode" or indicia or "machine readable") same (read\$4 or scan\$4) and (window) same (horizontal or parallel) same (vertical or perpendicular) and motor same (mirror or polygon\$2 or spin\$4 or rotat\$4) same (light or laser or source) same (independent\$4 or separat\$4)) ((barcode or "barcode" or indicia or "machine readable") same (read\$4 or scan\$4) and (window) same (horizontal or parallel) same (vertical or perpendicular) and motor same (mirror or polygon\$2 or spin\$4 or rotat\$4) same (light or laser or source) same (independent\$4 or separat\$4 or two or second)) | USPAT; US-PGPUB; EPO; JPO | 2004/03/18 15:53 |
| - | 1 | 5475207.pn. | USPAT | 2004/03/19 15:49 |